

HEALTHCARE LINE



The ideal pre & post vacuum autoclave for Healthcare.

Healthcare Line



Model 5075HSG

The 5075HSG is a fully featured 160 liter stand-alone pre & post vacuum autoclave. Many years of expertise with industrial sterilization technology have been packaged into the 5075 autoclave models to make them ideal Class B healthcare autoclaves.

The 5075HSG is a free-standing, cabinet enclosed unit with a wheel mounted design to facilitate installation. They are as simple and easy to use as any Tuttnauer tabletop autoclave.

The 5075HSG comes with a built-in 20kW carbon steel electric steam generator for fast sterilization cycles. The generator also comes standard with an automatic blow down feature.


The 5075HSG autoclave chamber is surrounded by a coiled jacket that increases overall cycle speed and performance by maintaining chamber warmth when in stand-by mode. The coiled jacket also ensures uniform heat distribution throughout the chamber. The system provides a deep and powerful vacuum due to a high volume water-ring vacuum pump for reliable and complete air removal. The 5075HSG offers all the features and reliability of a large capacity autoclave at a fraction of the size and cost.



Healthcare Line

Controls & Monitoring

The 5075HSG is equipped with the BacSoft control system utilizing a multicolor screen and touch pad. The sterilizer comes standard with FDA cleared cycles to sterilize surgical instruments, utensils, gowns, wrapped/unwrapped goods and other healthcare instruments and supplies. A built in printer is also included, providing real-time cycle data including the pressure, temperature, change of phase, alarms and a summary at the end of the cycle.



Autoclave Features

- High volume water-ring vacuum pump for fast and efficient air removal
- Stand-by heating mode keeps the autoclave warm and ready for use
- 316L grade stainless steel chamber and door with electro-polish finish
- Double locking safety device prevents door from opening at high pressure and high temperature
- Control lock-out switch prevents starting a cycle if door is not properly locked
- · Built-in alpha-numeric printer
- Mounted on wheels for ease of installation
- Our high quality healthcare autoclaves comply with the strictest international directives, standards and guidelines, including AAMI, UL, FDA, CE, ASME, CSA, MDSAP, Health Canada.

Overall Dimensions 48" 43" 43" 32"

Specifications

| Specifications | 5075HSG (Includes Built-In Generator) |
|--|--|
| Chamber Dimensions Ø x L (inches) | 19.5″ x 29.5″ |
| Chamber Volume (Liters) | 160 |
| No. of Shelves | 2 |
| Shelf Dimensions W x H x L (inches) | Small: 11.9" x 0.8" x 27.6" Large: 18.6" x 0.8" x 27.6" |
| Electrical Requirements (Control System, Vacuum Pump) | 1-Phase, 120V, 20 AMP |
| Electrical Requirements (20kW Generator) | 3-Phase, 208V, 56 AMP (Draw) |
| | 3-Phase, 480V, 25 AMP (Draw) |
| Plant Steam Supply | N/A |
| Cold Water Supply *Contact Tuttnauer for recommended water quality | 3/4" NPT |
| Building Drain *Floor Sink Recommended | 2" |
| Heat Load to Room (Btu/Hr) | 4750 |
| Overall Dimensions WxHxL (Inches) | 34" x 62" x 48" |
| Autoclave Weight (Lbs) | 935 |

^{*} Contact a Tuttnauer representative to obtain certified drawings.

Your Sterilization & Infection Control Partners

For over 95 years, Tuttnauer's sterilization and infection control products have been trusted by hospitals, universities, research institutes, clinics and laboratories throughout the world. Supplying a range of top-quality products to over 140 countries, Tuttnauer has earned global recognition as a leader in sterilization and infection control.







Authorized Tuttnauer Distributor Since 1992

39 Western Highway, West Nyack, NY 10994 877-561-0500

sales@duralinesystems.com | www.duralinesystems.com

^{*} Tuttnauer can provide a reverse osmosis water treatment system where "hard water" conditions exist.